



Yes, you can:

Customer Name :	Account No :
Dealer :	Order No :
Address :	Order Qty :
Tel No:	Order Date :
Delivery address :	

Küschall® Champion
DEALER
Maximum user weight 120kg (19 Stone)

Standard Features:

Active, Lightweight, Folding Aluminium 75° Frame
Choice of 7 Seat Widths 360mm - 460mm (14" - 18")
Choice of 7 Seat Depths 340mm - 460mm (13" - 18")
Angle Adjustable Folding Backrest with Nylon Light Upholstery and Standard Push Handles
Angle Adjustable Flip Up Footrest with Calf Strap
Flip up Carbon Clothesguards
5" Comfort Front Castors with Black Tyres
Kuschall Starec Q/R Rear Wheels with Light Pneumatic Tyres and Aluminium Handrims
Standard Brake Lever Bent
Choice of 14 Frame Colours

Standard Base Price: £2,015



☒ Please make your selection with a cross in the box ♦ Standard feature ○ Free of Charge

Customer weight = Kg			
Code	X	Description	Dealer
DDF0031		küschall® Champion	£2,015
DDF0000		MY Kuschall Special Construction Fill in all information at the end of the order form	P.O.A.
SEATING CHOICE			
FRAME (On Dynamic, Active and Carbon frames, seat depths below 420mm are not compatible together with Dynamic adapter in 1st position and Active brakes)			
DDF0203		Active frame, aluminium 75°	♦
DDF0212		Dynamic frame, aluminium 90° (NC: 0820,0821)	○
DDF0201		Adduction frame aluminium 75° (NC: 0126,0128,1714)	£155
DDF0243		Adduction frame aluminium 90° (NC: 0126,0128,1714)	£155
Titanium frame includes a carbon fibre castor fork supporter			
DDF0287		Titanium frame 75°	£799
DDF0292		Titanium frame 90°	£799
DDF0204		Carbon frame 85° (600g weight saving) (In natural colour only, minimum knee to heel 300mm required) (NC: 0410,0412,0415) (NC: 0417 with 0263)	£450
SEAT WIDTH (SB)			
DDF0126		SW 360 mm	○
DDF0128		SW 380 mm	○
DDF0130		SW 400 mm	○
DDF0132		SW 420 mm	○
DDF0134		SW 440 mm	○
DDF0136		SW 460 mm	○
SEAT DEPTH (ST)			
DDF0410		SD 340 mm (NC: 0263,1303)	○
DDF0412		SD 360 mm (NC: 0263,1303)	○
DDF0415		SD 380 mm (NC: 0263,1303)	○
DDF0417		SD 400 mm (NC: 0263,1303)	♦
DDF0419		SD 420 mm	○
DDF0421		SD 440 mm	○
DDF0424		SD 460 mm	○
BACK HEIGHT (RH)			
DDF0550		RH 300 mm (NC: 1491,0700)	○
DDF0503		RH 315 mm (NC: 1491,0700)	○
DDF0506		RH 330 mm (NC: 1491)	○
DDF0509		RH 345 mm (NC: 1491)	○
DDF0512		RH 360 mm (NC: 1491)	♦
DDF0514		RH 375 mm (NC: 1491)	○
DDF0516		RH 390 mm (NC: 1491)	○
DDF0518		RH 405 mm	○
DDF0520		RH 420 mm	○
DDF0522		RH 435 mm	○
DDF0524		RH 450 mm	○
DDF0526		RH 465 mm	○

Order No:

Customer Ref:

Kuschall Champion
1 of 7

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter specification without prior notice.

FRONT SEAT-TO-FLOOR HEIGHT (SHv)			
With Dynamic frame, front seat height is 10mm higher than stated below			
DDF0847		FSF 450 mm	○
DDF0848		FSF 460 mm	○
DDF0849		FSF 470 mm	○
DDF0850		FSF 480 mm	○
DDF0851		FSF 490 mm	○
DDF0852		FSF 500 mm	◆
DDF0853		FSF 510 mm	○
DDF0854		FSF 520 mm	○
DDF0855		FSF 530 mm	○
DDF0856		FSF 540 mm	○
REAR SEAT-TO-FLOOR HEIGHT (SHh)			
DDF0944		RSF 390 mm	○
DDF0945		RSF 400 mm	○
DDF0946		RSF 410 mm	○
DDF0947		RSF 420 mm	○
DDF0948		RSF 430 mm	○
DDF0949		RSF 440 mm	◆
DDF0950		RSF 450 mm	○
DDF0951		RSF 460 mm	○
DDF0952		RSF 470 mm	○
DDF0953		RSF 480 mm	○
DDF0954		RSF 490 mm	○
KNEE-TO-HEEL LENGTH (UL) UL has to be a minimum of 30mm less than Front seat height. On Aluminium frame UL 220mm - 310mm is upmounted. On Carbon frame UL 300mm - 340mm is upmounted.			
UL measurment excludes cushion and must be a minimum of 3 cm less than Front Seat Height			
DDF1663		UL 220 mm	○
DDF1664		UL 230 mm	○
DDF1665		UL 240 mm	○
DDF1666		UL 250 mm	○
DDF1667		UL 260 mm	○
DDF1668		UL 270 mm	○
DDF1669		UL 280 mm	○
DDF1670		UL 290 mm	○
DDF1671		UL 300 mm	○
DDF1672		UL 310 mm	○
DDF1673		UL 320 mm	○
DDF1674		UL 330 mm	○
DDF1675		UL 340 mm	○
DDF1676		UL 350 mm	○
DDF1677		UL 360 mm	○
DDF1678		UL 370 mm	○
DDF1679		UL 380 mm	○
DDF1680		UL 390 mm	○
DDF1681		UL 400 mm	○
DDF1682		UL 410 mm	○
DDF1683		UL 420 mm	○
DDF1684		UL 430 mm	◆
DDF1685		UL 440 mm	○
DDF1686		UL 450 mm	○
DDF1687		UL 460 mm	○
DDF1688		UL 470 mm	○
DDF1689		UL 480 mm	○
DDF1690		UL 490 mm	○
DDF1691		UL 500 mm	○
BACKREST			
BACK UPHOLSTERY			
DDF0700		Standard light upholstery (NC: 0750,0703,1491)	◆
DDF0722		Nylon upholstery with tension adjustable back Black/Grey	£100
DDF0735		Aero upholstery with tension adjustable back	£163
PUSH HANDLES			
DDF0750		Without push handles	○
DDF0702		Standard push handles	◆
DDF0703		Height adjustable rear set	£185
DDF0704		Foldable push handles (NC: 1491)	£144
DDF0733		Height adjustable, integrated	£160

BACK ANGLE			
DDF0713		79°	○
DDF0714		83.5°	○
DDF0715		88°	◆
DDF0716		92.5°	○
DDF0717		97°	○
BACKREST OPTION			
DDF1491		Backbrace (swing away and removable)	£91
SEAT UPHOLSTERY			
DDF0610		Standard	◆
CUSHION AND SEAT OPTIONS			
DDF0600		küschall seat cushion, 8cm foam with Visco top layer	£48
DDF0606		Seat bag, click in and removable, includes the fixation clips (DDF1714)	£53
FOOTREST			
DDF1500		Flip-up footplate set to the front	○
DDF1501		Flip-up footplate set to the rear	◆
CALF STRAP			
DDF1533		Mounted on supporter	◆
DDF1535		Mounted on frame	○
SIDE GUARDS			
DDF1401		Carbon clothes guards flip back	◆
DDF1408		Carbon mud guards, removable (NC: 1416)	£205
ARMREST			
DDF1416		Armrest height adjustable, short	£70
DDF1411		Tubular height adjustable removable and swing away comfort padded	£176
FRAME COLOUR			
DDF0300		Glossy-Black	○
DDF0354		Night Shimmer	○
DDF0302		Royal Blue	○
DDF0303		Royal Red	○
DDF0350		Purple Fire	○
DDF0314		Black Matt	○
DDF0315		Silver Grey	○
DDF0356		Ivory White	○
DDF0357		Umber glaze	○
DDF0358		Smokey grey	○
DDF0359		Flashy yellow	○
DDF0363		Black-grey rustico	○
DDF0364		Golden beach	○
FRAME COLOUR, POLISHED			
DDF0310		Mirror Natural	£193
COLOUR-POWER-SET			
Small colour shade differences are possible			
DDF0330		Colour-Power-Set techno-anthracite	£163
DDF0334		Colour-Power-Set b-blue	£163
DDF0329		Colour-Power-Set comet red	£163
DDF0336		Colour-Power-Set artic blue	£163
DDF0337		Colour-Power-Set copper glaze	£163
DDF0338		Colour-Power-Set chrome	£163
DDF0339		Colour-Power-Set champagne	£163
DDF0340		Colour-Power-Set olive	£163

FRONT WHEEL			
Please note: 5" castors are not compatible with Dynamic 90 degree frame or with the carbon 85 degree frame in combination with footplate set to back			
DDF0800		75mm (3") Supersport	○
DDF0801		100mm (4") Everyday wheel, black tyre	○
DDF0824		100mm (4") Skater wheel	£46
DDF0803		100mm (4") Starec techno-anthracite	£46
DDF0807		100mm (4") Starec b-blue	£46
DDF0808		100mm (4") Starec comet red	£46
DDF0830		100mm (4") Starec copper glaze	£46
DDF0831		100mm (4") Starec artic blue	£46
DDF0809		100mm (4") Starec black	£46
DDF0861		100mm (4") Starec chrome	£46
DDF0825		100mm (4") Starec champagne	£46
DDF0826		100mm (4") Starec olive	£46
DDF0810		125mm (5") Light wheel, black tyre	○
DDF0863		125mm (5") Comfort Wheel black rubber	◆
DDF0813		125mm (5") Starec techno anthracite	£46
DDF0817		125mm (5") Starec b-blue	£46
DDF0818		125mm (5") Starec comet red	£46
DDF0833		125mm (5") Starec copper glaze	£46
DDF0832		125mm (5") Starec Artic blue	£46
DDF0819		125mm (5") Starec black	£46
DDF0862		125mm (5") Starec chrome	£46
DDF0827		125mm (5") Starec champagne	£46
DDF0828		125mm (5") Starec olive	£46
DDF0820		150mm (6") Light wheel, black tyre	○
DDF0821		150mm (6") Pneumatic wheel	£46
REAR WHEEL POSITION			
DDF0261		Dynamic Adaptor Plate (NC:0916)	○
DDF0263		1st Position (N/C on aluminium frame with seat depths less than 420mm in combination with active brakes) (N/C on carbon frame with seat depths less than 440mm in combination with active brakes)	○
DDF0264		2nd Position (N/C on carbon frame with seat depths less than 420mm in combination with active brakes)	○
DDF0262		Active Adaptor Plate	○
DDF0264		2nd Position (N/C on carbon frame with seat depths less than 420mm in combination with active brakes	○
DDF0265		3rd Position (NC: 0916)	◆
DDF0266		4th Position	○
QUAD RELEASE AXLE			
DDF0909		Quad Quick Release Axle	£62
REAR WHEEL SIZE			
DDF0901		559mm (22") (NC: 0906,0908,0916,0913,0918)	○
DDF0902		609mm (24")	○
DDF0925		635mm (25") (NC: 0915,0916,0908,0913,0918,0906)	○
DDF0903		660mm (26") (NC: 0906,0908,0916,0918)	○
REAR WHEEL CAMBER			
DDF0282		0 Degree Camber	◆
DDF0283		4 Degree Camber (NC: 1302,0916)	○
REAR WHEEL TYPE			
DDF0915		559mm (22"), 609mm (24"), 660mm (26") küschall Starec wheels (Colourless Starec hub or in CPS if selected)	◆
DDF0908		609mm (24") High Performance wheel (Starec hub black or in CPS if selected) (NC: 0910,0911,1004,1006,1007)	£182
DDF0918		635mm (25") High Performance wheel (Starec hub black or in CPS if selected) (NC: 0910,0911,1001,1002,1004,1006,1007,1102,1104,1106,1200,1202)	£266
DDF0913		609mm (24") Mountain Bike with specific tyre (NC: 0910,0911,1001,1002,1004,1006,1007,1010,1011,1104,1106,1120,1202)	£164
DDF0906		609mm (24") Spinergy LXX wheel No Spokeguards available (NC: 0910,0911,1104,1200,1202)	£421
TYPE OF SPOKES			
DDF0910		Cross spoked	◆
DDF0911		Radial spoked	○
E-MOTION ADAPTATION (adaption plate and Alber anti tippers included - does not include e-motion wheels)			
DDF0916		E-Motion adaptor plate (Only available with 24" wheels 0 Deg camber) Refer to Alber order form for details on wheels (NC: 1702,1703,1704,1706,1707)	£188

REAR WHEEL TYRE			
DDF1001		559mm (22"), 609mm (24"), 660mm (26") Light wheel 7 bar,	◆
DDF1002		559mm (22") , 609mm (24") Profile tyre 7 bar	○
DDF1004		609mm (24") Solid tyre with profile, grey (NC: 1020)	£48
DDF1006		609mm (24") Solid tyre (KIK-tyre), black (NC: 1020)	£63
DDF1010		609mm (24") 635mm (25") Black Marathon Evolution tyre with kevlar lining (NC: 1020)	£73
DDF1007		559mm (22"), 609mm (24") Solid tyre Light wheel, grey (NC: 1020)	£48
DDF1011		609mm (24"), 635mm (25") Schwalbe Ultremo ZX tyre	£62
ANTI-FLAT			
DDF1020		Anti-flat tyre tube protection	£15
HANDRIM			
DDF1102		559mm (22"), 609mm (24"), 660mm (26") Supergripp, dist. 30mm	£145
DDF1104		609mm (24"), 660mm (26") Steel polished, dist. 30mm	£45
DDF1106		609mm (24") Titanium dist. 30mm	£128
DDF1120		609mm (24"), 635mm (25"), Surge LT 30mm, 3cm distance	£237
DDF1113		559mm (22") 609mm (24"), 635mm (25"), 660mm (26") Light Alu dist. 30mm	◆
DDF1114		559mm (22") 609mm (24"), 635mm (25"), 660mm (26") Light Alu dist. 40mm	○
SPOKE GUARDS			
DDF1200		Transparent	£85
DDF1202		609mm (24") Küsch	£85
FIXATION STRAP			
DDF1714		Fixation strap (Holds frame together in closed position)	◆
UNFOLDING HELP			
DDF1719		Unfolding help (To open folding mechanism from front)	○
SAFETY			
BRAKES			
DDF1300		Standard brake, lever bent	◆
DDF1301		Standard brake, lever straight	○
DDF1306		Pull Brake	£55
DDF1302		Performance brake	£55
DDF1303		Active brake	£55
BRAKE EXTENSION LEVER			
DDF1310		Brake extension lever (For straight lever brakes only)	£32
ANTI-TIPPER			
NB: maximum of two rear frame adaptions per side			
DDF1702		Anti-tipper right	£46
DDF1703		Anti-tipper left	£46
DDF1704		Anti-tipper both sides	£92
SEAT BELT			
DDF1730		Seat belt	£54
ACCESSORIES			
DDF1745		Bottle holder with bottle	£20
DDF1746		Mobile phone holder	£20
DDF1739		Front frame protectors	£24
TIPPER AID			
DDF1708		Tipper-Aid, right (NC: 1706)	£33
DDF1709		Tipper-Aid, left (NC: 1707)	£33
DDF1720		Tipper-Aid, both sides (NC: 1706,1707,1721)	£66
CANE HOLDER			
DDF1706		Cane holder, right	£54
DDF1707		Cane holder, left	£54
DDF1721		Cane holder, both sides	£108
TRANSIT WHEELS			
NB: maximum of two rear frame adaptions per side			
DDF1700		Transit wheels 75mm (3")	£151
PUMP			
DDF1715		Air pump	£10
KÜSCHALL WATCH (Mounted in Castor Housing)			
DDF1712		Watch Right side (NC: 1713)	£77
DDF1713		Watch Left side (NC: 1712)	£77
TOOL KIT			
DDF1717		Tool kit	◆
PRICE			
TOTAL PRICE			

	Front wheel	3"	4"	5"	6"
	Front height (SHv)	Std. forks			
Long Frame Aluminium & carbon frames knee-to-heel length 40 - 50 cm	45 cm	x			
	46 cm	x	x		
	47 cm	x	x		
	48 cm	x	x		
	49 cm	x	x	x	
	50 cm	x	x	x	
	51 cm	x	x	x	x
	52 cm		x	x	x
	53 cm		x	x	x
	54 cm			x	x
Short Frame Aluminium frame knee-to-heel length 30-39cm.	45 cm	x	x	x	
	46 cm	x	x	x	
	47 cm	x	x	x	
	48 cm	x	x	x	x
	49 cm		x	x	x
	50 cm			x	x

Frame / Possible UL


* Aluminium
UL: 32-50 cm
UL: 22-31 cm high mounted

* Carbon
UL: 40-50cm
UL: 30-34 cm high mounted


* Titanium
UL: 36-50 cm
UL: 22-34 cm high mounted

Adapterplate position

Dynamic
adapterplate



Active
adapterplate



Rear wheel size/RSF


22" : 39-44 cm

24" : 39-47 cm

25": 41-49 cm

26" : 42-49 cm

Backrest Angle



Non Conforming Items Guide

DDF0126	Seat width 360mm
DDF0128	Seat width 380mm
DDF0263	Rear Wheel Position 1st from front
DDF0410	Seat depth 340mm
DDF0412	Seat depth 360mm
DDF0415	Seat depth 380mm
DDF0417	Seat depth 400mm
DDF0700	Standard Upholstery
DDF0703	Height adjustable push handles
DDF0750	Without Push Handles
DDF0820	6" Light wheel
DDF0821	6" pneumatic wheel
DDF0906	24" Spinergy LXX wheels
DDF0908	24" High Performance Wheels
DDF0910	Cross spoked
DDF0911	Radial spoked
DDF0913	24" Mountain Bike wheel
DDF0915	22", 24", 26" Kuschall starec wheels
DDF0916	E Motion adapter plate
DDF0917	24", 25" Spinergy Wheels
DDF0918	25" High Performance Wheels
DDF1001	Light Wheel 7 bar
DDF1002	Profile tyre 7 bar
DDF1004	24" Solid tyre with profil, grey,
DDF1006	24" Solid tyre (KIK-tyre), black,
DDF1007	Solid tyre Light wheel, grey, 22", 24"
DDF1010	Marathon evolution tyres
DDF1011	Schwalbe Ultremo ZX tyres
DDF1020	Anti-flat tyre tube protection
DDF1102	Supergrip handrim
DDF1104	Steel polished, 24", 26", dist. 3 cm
DDF1106	Titanium handrim
DDF1120	Surge LT Handrim
DDF1200	Transparent spokeguards
DDF1202	24" Kuschall spokeguards
DDF1302	Performance brakes
DDF1303	Active Brakes
DDF1416	Siderest height adjustable short
DDF1491	Backbrace
DDF1533	Mounted on supporter
DDF1702	Anti tipper RH
DDF1703	Anti tipper LH
DDF1704	Anti tipper both sides
DDF1706	Cane holder, right
DDF1707	Cane holder, left
DDF1712	Watch right side
DDF1713	Watch left side
DDF1714	Fixation strap
DDF1721	Cane holder both sides

Order No:

Customer Ref:

Kuschall Champion
6 of 7

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter specification without prior notice.

Special Instructions: Please supply the following information

Name:

Email:

Phone:

Description of special request (please include relevant option code):