Invacare Ltd
Pencoed Technology Park
Pencoed
CF35 5AQ
Tel: 01656 776222 Fax: 01656 776220
email: ordersuk@invacare.com

For up to date spare parts online,
please visit www.invacare.ie

Yes, you can.

Manual Wheelchair
Dealer Prescription Form
LPF1U2KSERIES021213D
LPF0019X
January 2014

CRASH TESTED

Customer Name :	**Account No :**
Dealer :	
Address :	**Order No :**
	Order Qty :
Tel No:	
Delivery address :	**Order Date :**

Küschall® K Series

DEALER

Maximum user weight 120kg (19 Stone)

Standard Features

Active Aluminium Rigid Wheelchair with Rigid Footrest
Self Propel with 24" or 26" Starec Hub Quick Release Rear Wheels
Choice of 8 Seat Widths 340mm to 480mm (13" - 19")
Choice of 7 Seat Depths 375mm to 525mm (15" - 21")
Lockdown Folding Backrest with Black & Grey Tension Adjustable Upholstery
Carbon Clothesguards
Choice of 14 Frame Colours
Standard Brake Lever Bent
Standard Base Price £1,815

☒ **Please make your selection with a cross in the box** ◆ **Standard feature** ❍ **Free of Charge**

		Customer weight = **Kg**		
Code		**Description**		**Dealer**
DDA0067		**Küschall® K-series G3 2011**		**£1,815**
DDZ0000		**Küschall® K-series G3 2011 Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM**		**P.O.A.**
SEATING CHOICE				
ALUMINIUM FRAME 125mm (5") Front castors are not available with 90° frame, except in combination with 26" wheels				
DDA0284		K4, 75° to the ground, Aluminium	(NC: 0426,0429,0432)	◆
DDA0285		K4, 75° to the ground, Aluminium tapered front	(NC: 0426,0429,0432,0847,0848,0849,1515)	**£59**
DDA0286		K4, 75° to the ground, Aluminium +5cm	(NC: 0414,0417,0420,0847,0848,0849,0850,0851)	❍
DDA0288		K4, 75° to the ground, Carbon	(NC:0248,0426,0429,0432,0847,0848,0849,0850,0251,0310,1515)	**£525**
DDA0289		Airlite, 90° to the ground, Aluminium	(NC: 0426,0429,0432)	**£96**
DDA0290		Airlite, 90° to the ground, Aluminium tapered front	(NC: 0426,0429,0432,0847,0848,0849,1515)	**£96**
DDA0291		Airlite, 90° to the ground, Aluminium +5cm	(NC: 0414,0417,0420,0847,0848,0849,0850,0851)	**£96**
TITANIUM FRAME (Max User Weight 100kg)				
DDA0287		K4, 75° to the ground, Titanium (No paint finish available)	(NC: 0248,0426,0429,0432,0847,0848,0849,1515,0630,0631,0632,0251, 0310,1515)	**£699**
DDA0292		Airlite, 90° to the ground, Titanium (No paint finish available)	(NC: 0248,0426,0429,0432,0847,0848,0849,1515,0630,0631,0632,0251, 0310,1515)	**£699**
SEAT WIDTH (SB)				
Width between clothes guards = SW + 15mm				
DDA0124		Seat width 340 mm (Air Pump not mountable on 340mm width)		❍
DDA0126		Seat width 360 mm		❍
DDA0128		Seat width 380 mm		❍
DDA0130		Seat width 400 mm		❍
DDA0132		Seat width 420 mm		❍
DDA0134		Seat width 440 mm		❍
DDA0136		Seat width 460 mm		❍
DDA0138		Seat width 480 mm	(NC: 0630,0631,0632)	❍
SEAT DEPTH (ST)				
DDA0414		Seat depth 375 mm		❍
DDA0417		Seat depth 400 mm		◆
DDA0420		Seat depth 425 mm		❍
DDA0423		Seat depth 450 mm		❍
DDA0426		Seat depth 475 mm		❍
DDA0429		Seat depth 500 mm		❍
DDA0432		Seat depth 525 mm	(NC: 0611)	❍
SEAT POSITION (SP) Note: Position 1 is most tippy				
DDA0461		Position 1 = 140mm		❍
DDA0462		Position 2 = 125mm		❍
DDA0463		Position 3 = 110mm		◆
DDA0464		Position 4 = 95mm		❍
DDA0465		Position 5 = 80mm		❍

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

BACK HEIGHT (RH)				
Please note this chair cannot be used as a seat during transportation if the back height is lower than 405mm				
In combination with tubular armrests, back height of between 270mm and 330mm are only possible with fixed or without push handles				
DDA0548		RH 270 mm	(NC: 1770)	○
DDA0580		RH 285 mm	(NC: 1770)	○
DDA0550		RH 300 mm	(NC: 1770)	○
DDA0503		RH 315 mm	(NC: 1770)	○
DDA0506		RH 330 mm	(NC: 1770)	○
DDA0509		RH 345 mm	(NC: 1770)	○
DDA0512		RH 360 mm	(NC: 1770)	○
DDA0514		RH 375 mm	(NC: 1770)	◆
DDA0516		RH 390 mm	(NC: 1770)	○
DDA0518		RH 405 mm		○
DDA0520		RH 420 mm		○
DDA0522		RH 435 mm		○
DDA0524		RH 450 mm		○
DDA0526		RH 465 mm		○
DDA0528		RH 480 mm		○
FRONT SEAT-TO-FLOOR (SHv) 5" castors not available on front heights 450mm - 470mm (Please refer to compatibility table on back page for more details)				
DDA0847		FSF 450 mm		○
DDA0848		FSF 460 mm		○
DDA0849		FSF 470 mm		○
DDA0850		FSF 480 mm		○
DDA0851		FSF 490 mm		○
DDA0852		FSF 500 mm		◆
DDA0853		FSF 510 mm		○
DDA0854		FSF 520 mm		○
REAR SEAT-TO-FLOOR (SHh)				
If suspension is selected, Rear seat to floor is adjusted 30mm higher				
DDA0943		RSF 380 mm	(NC: 1416,1421,0903,0925,0248,0251)	○
DDA0944		RSF 390 mm	(NC: 1416,1421,0903,0248,0251)	○
DDA0945		RSF 400 mm	(NC: 1416,1421,0248,0251)	○
DDA0946		RSF 410 mm	(NC: 1416,1421)	○
DDA0947		RSF 420 mm		○
DDA0948		RSF 430 mm		◆
DDA0949		RSF 440 mm		○
DDA0950		RSF 450 mm		○
DDA0951		RSF 460 mm		○
DDA0952		RSF 470 mm	(NC: 0630,0631,0632)	○
DDA0953		RSF 480 mm	(NC: 0630,0631,0632)	○
DDA0954		RSF 490 mm	(NC: 0630,0631,0632)	○
Please note that for knee to heel less than 390mm and depending on the configuration, the footplate may be upmounted				
KNEE-TO-HEEL LENGTH (UL) On a 75° Frame: UL < FSF - 30mm On 90° Frame: UL < FSF - 40mm (measure without cushion)				
Please refer to the Compatibility Table on the back page for more details				
DDA1670		UL 290 mm		○
DDA1671		UL 300 mm		○
DDA1672		UL 310 mm		○
DDA1673		UL 320 mm		○
DDA1674		UL 330 mm		○
DDA1675		UL 340 mm		○
DDA1676		UL 350 mm		○
DDA1677		UL 360 mm		○
DDA1678		UL 370 mm		○
DDA1679		UL 380 mm		○
DDA1680		UL 390 mm		○
DDA1681		UL 400 mm		○
DDA1682		UL 410 mm		○
DDA1683		UL 420 mm		○
DDA1684		UL 430 mm		◆
DDA1685		UL 440 mm		○
DDA1686		UL 450 mm		○
DDA1687		UL 460 mm		○
DDA1688		UL 470 mm		○
DDA1689		UL 480 mm		○

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

BACKREST				
BACKREST MATERIAL				
DDA0730		Aluminium		◆
DDA0731		Titanium	(NC: 0772)	**£115**
BACK UPHOLSTERY				
DDA0721		Light back upholstery (Note: no tension adjustment with this option)	(NC: 0703,0733)	**£114**
DDA0722		Black & Grey Nylon upholstery with tension adjustable back	(NC: 0733)	◆
DDA0735		Aero upholstery with tension adjustable back	(NC: 0733)	**£163**
DDA0772		Without upholstery, for fitting fixed backrests. Backpost height 285mm	(NC: 0751,0702,0703,0704)	❍
PUSH HANDLES				
DDA0750		Without push handles		◆
DDA0751		Fixed push handles short		**£97**
DDA0702		Fixed push handles long		**£97**
DDA0703		Height adjustable, rear set	(NC: 1411)	**£185**
DDA0704		Foldable push handles		**£144**
DDA0733		Height adjustable integrated push handles, for without upholstery		**£160**
BACKREST ANGLE				
DDA0707		74° Angle from the seat		❍
DDA0718		78° Angle from the seat		❍
DDA0709		82° Angle from the seat		◆
DDA0719		86° Angle from the seat		❍
DDA0711		90° Angle from the seat		❍
SEATING				
SEAT UPHOLSTERY				
DDA0610		Standard		◆
DDA0615		Light seat upholstery		**£50**
DDA0611		Tension adjustable seat with one central velcro band (loop)		**£32**
DOCUMENT STYLE SEAT UPHOLSTERY BAGS				
DDA0616		Small Bag		**£15**
DDA0617		Large Bag		**£17**
FOOTREST				
FOOTREST MATERIAL				
DDA1508		Aluminium		◆
DDA1509		Titanium (Not possible with an upmounted footplate)	(NC: 1570,1515)	**£120**
FOOTREST				
DDA1510		Foot tube, rigid	(NC: 1570,1515)	◆
DDA1513		Footplate cover	(NC: 1570,1515)	**£25**
FOOTPLATE				
DDA1570		Carbon footplate angle adjustable		**£150**
DDA1515		Footrest flip to side, with carbon footplate (Not with upmounted footplate)		**£219**
SIDE GUARDS				
CLOTHESGUARDS/MUDGUARDS				
With suspension, distance between tyre and mudguard is 40mm				
DDA1401		Carbon clothes guards	(NC: 1408)	◆
DDA1408		Carbon mud guards	(NC: 1416,1421)	**£205**
ARMRESTS (Includes clothesguards)				
DDA1416		Armrest, height adjustable, short		**£120**
DDA1421		Armrest height adjustable, long		**£120**
TUBULAR ARMREST: If tubular arms are required on back heights of 270-330mm, only fixed or without push handles are available				
DDA1411		Tubular armrest, height adjustable, removable, swing-away, comfort padded		**£175**
CUSHION OPTIONS				
DDA0600		Seat cushion 8cm foam with visco layer		**£48**
DDA0606		Seat Bag/Pouch (Mounted underneath seat, removable)		**£53**

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

FRAME			
FRAME COLOUR (Aluminium frames only)			
DDA0300		Glossy black	❍
DDA0354		Night shimmer	❍
DDA0314		Black Matt	❍
DDA0302		Royal blue	❍
DDA0303		Royal red	❍
DDA0350		Purple Fire	❍
DDA0315		Silver grey	❍
DDA0357		Umber glaze	❍
DDA0358		Smokey grey	❍
DDA0356		Ivory white	❍
DDA0359		Flashy yellow	❍
DDA0363		Black-grey rustico	❍
DDA0364		Golden beach	❍
POLISHED FRAME COLOUR (Only available on Aluminium frames)			
DDA0310		Mirror natural	**£193**
COLOUR-POWER-SET			
Small shade differences are possible			
DDA0330		Colour-Power-Set techno-anthracite	**£163**
DDA0334		Colour-Power-Set b-blue	**£163**
DDA0329		Colour-Power-Set comet red	**£163**
DDA0336		Colour-Power-Set artic blue	**£163**
DDA0337		Colour-Power-copper glaze	**£163**
DDA0338		Colour-Power-chrome	**£163**
DDA0339		Colour-Power-champagne	**£163**
DDA0340		Colour-Power-olive	**£163**
SUSPENSION Maximum load 100 kg			
DDA0630		User weight 40-65 kg (6-10 Stone)	**£185**
DDA0631		User weight 65-85 kg (10-13 Stone)	**£185**
DDA0632		User weight 85-100 kg (13-15.7 Stone)	**£185**
FRONT WHEEL			
125mm (5") front wheels only possible on an AirLite 90° frame in combination with 26" rear wheels			
DDA0800		75mm (3") Supersport	❍
DDA0801		100mm (4") Everyday wheel with black tyre	❍
DDA0803		100mm (4") Starec techno-anthracite	**£46**
DDA0807		100mm (4") Starec b-blue	**£46**
DDA0808		100mm (4") Starec comet red	**£46**
DDA0830		100mm (4") Starec copper glaze	**£46**
DDA0831		100mm (4") Starec artic blue	**£46**
DDA0809		100mm (4") Starec black	**£46**
DDA0861		100mm (4") Starec chrome	**£46**
DDA0825		100mm (4") Starec champagne	**£46**
DDA0826		100mm (4") Starec olive	**£46**
DDA0824		100mm (4") Skater wheel	**£46**
DDA0860		100mm (4") Comfort wheel with black tyre	❍
DDA0810		125mm (5") Light wheel with black tyre	❍
DDA0863		125mm (5") Comfort wheel with black tyre	◆
DDA0813		125mm (5") Starec techno anthracite	**£46**
DDA0817		125mm (5") Starec b-blue	**£46**
DDA0818		125mm (5") Starec comet red	**£46**
DDA0833		125mm (5") Starec copper glaze	**£46**
DDA0832		125mm (5") Starec artic blue	**£46**
DDA0819		125mm (5") Starec black	**£46**
DDA0862		125mm (5") Starec chrome	**£46**
DDA0827		125mm (5") Starec champagne	**£46**
DDA0828		125mm (5") Starec olive	**£46**

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

REAR WHEEL				
REAR WHEEL FIXATION				
Rear wheel extension not possible with a rear seat to floor height of 400mm or smaller				
DDA0250		Standard rear wheel position	(NC: 0263,0264,0265,0266,0267,0248,0251)	◆
DDA0248		Lightweight rear wheel extension (3 positions)	(NC: 0266,0267,0278,1705)	**£74**
DDA0251		Rear wheel extension (5 positions)	(NC: 0278,1705)	**£95**
CAMBER AXLE TYPE 1st AXLE				
10° Camber on Vario-Ax only locks with an Active Brake				
DDA0276		Vario-Ax, adjustable Camber 1/3/7/10°	(NC: 1300,1302)	**£205**
DDA0277		Standard axle		◆
DDA0278		Carbon axle (reduces weight by 180 g)	(NC: 0916,1705)	**£112**
POSITION OF 1st AXLE				
Axle position must only be selected when DDA0248 or DDA0251, Rear wheel extensions are choosen.				
2nd axle only applies when choosing DDA0251, position extension. If choosing a 2nd axle, 1st position must be selected on the 1st axle, and 5th on the 2nd axle				
DDA0263		1st position from the front		❍
DDA0264		2nd position from the front		❍
DDA0265		3rd position from the front		❍
DDA0266		4th position from the front		❍
DDA0267		5th position from the front		❍
CAMBER ANGLE 1st AXLE				
DDA0270		0° camber		❍
DDA0271		3° camber	(NC: 0916)	◆
DDA0272		6° camber	(NC: 0916)	❍
2nd CAMBER AXLE TYPE (2nd Axle position will be set in 5th position from the front)				
DDA0252		Standard		**£185**
DDA0280		Vario-Ax	(NC: 1302)	**£205**
CAMBER ANGLE 2nd AXLE				
Max 3° difference in camber from 1st axle - If only 1 of the axles is a Vario-Axle, 2nd axle only possible in 0° or 3° camber				
DDA0270		0° camber		❍
DDA0271		3° camber	(NC: 0916)	❍
DDA0272		6° camber	(NC: 0916)	❍
QUAD RELEASE AXLE				
DDA0909		Quad quick release axle		**£62**
REAR WHEEL SIZE				
DDA0902		609mm (24") wheel	(NC: 0918)	◆
DDA0925		635mm (25") wheel	(NC: 0906,0915,0916,0908,0913)	❍
DDA0903		660mm (26") wheel	(NC: 0906,0908,0918,0913,0916,1303,1705)	❍
REAR WHEEL TYPE				
DDA0915		609mm (24"), 660mm (26") Küschall Starec black rim & hub colourless or rim and hub in CPS if selected		◆
DDA0908		609mm (24") High performance wheel (Starec hub & rim black, hub only in CPS if selected)	(NC:0910,0911,1004,1006,1007)	**£185**
DDA0918		635mm (25") High Performance wheels (Starec hub & rim black, hub only in CPS if selected)	(NC:0910,0911,1001,1002,1004,1006,1007,1102,1104,1106,1200,1202)	**£266**
DDA0913		609mm (24") Mountain Bike, fitted with specific 24" x 1.75" tyre Choice of Aluminium or Supergripp handrim	(NC:0910,0911,1104,1106,1120,1202)	**£164**
DDA0906		609mm (24") Spinergy LXK wheel, hub, rim & spokes black	(NC: 0910,0911,1200,1202)	**£421**
TYPE OF SPOKES				
Only specify spokes when selecting kuschall Starec wheels				
DDA0910		Crossed spoked		◆
DDA0911		Radial spoked		**£97**
ALBER ADD-ON KIT Note: When using E Motion wheels in combination with a light rear wheel extension, only wheel postions 1 and 2 are compatible				
DDA0916		E-Motion adaptor plate includes 2 Alber anti tippers	Only compatible with 24" rear wheels and 0 Degree camber	**£188**
REAR WHEEL TYRE				
DDA1001		609mm (24"), 660mm (26") Light wheel 7 bar		◆
DDA1002		609mm (24") Profile tyre 7 bar		❍
DDA1004		609mm (24") Solid tyre, profil, grey		**£48**
DDA1006		609mm (24") Solid tyre black (KIK)		**£63**
DDA1011		609mm (24"), 635mm (25") Schwalbe Ultremo ZX		**£62**
DDA1010		609mm (24"), 635mm (25"), 660mm (26") Marathon Evo tyre	(NC: 1020)	**£73**
DDA1007		609mm (24") Solid tyre Light, grey		**£48**

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

ANTI-FLAT				
DDA1020		Anti-flat tyre tube protection		**£15**
HANDRIM				
DDA1102		609mm (24"), 660mm (26") dist. 30mm Supergripp		**£145**
DDA1104		609mm (24"), 660mm (26") dist. 30mm Steel polished		**£45**
DDA1106		609mm (24") dist. 30mm Titanium		**£128**
DDA1120		609mm (24"), 635mm (25") Surge LT 30mm dist		**£237**
DDA1113		609mm (24"), 635mm (25"), 660mm (26") Light Alu dist. 30mm		◆
DDA1114		609mm (24"), 635mm (25"), 660mm (26") Light Alu dist. 40mm		❍
SPOKE GUARDS				
DDA1200		Transparent		**£85**
DDA1202		609mm (24") Küschall		**£85**
SAFETY				
BRAKES				
DDA1300		Standard brake lever bent		◆
DDA1302		Performance brake	(NC: 1310)	**£55**
DDA1303		Active/Scissor brake	(NC: 1310)	**£55**
SAFETY OPTIONS				
BRAKE EXTENSION LEVER				
DDA1310		Extension lever for standard brake		**£32**
DDA1730		Seat belt	(NC: 1770)	**£54**
DDA1770		Transportation kit includes seat belt and tie down labels		**£54**
ANTI TIPPER				
DDA1702		Anti-tipper tube right		**£46**
DDA1703		Anti-tipper tube left		**£46**
DDA1704		Anti-tipper tube both sides		**£92**
DDA1705		Active Anti-tipper		**£92**
ACCESSORIES				
DDA1700		Transit Wheels 75mm (3")		**£151**
DDA1715		Air Pump		**£10**
DDA1712		Küschall watch, right side, mounted in castor housing	(NC: 1713)	**£77**
DDA1713		Küschall watch, left side, mounted in castor housing	(NC: 1712)	**£77**
DDA1717	**x**	Tool Kit		◆
DDA1739		Front frame protectors 1 pair (Not with upmounted footplate)		**£24**
DDA1745		Bottle holder		**£20**
DDA1746		Mobile phone holder		**£20**
PRICE				
			Total Price	**£**

Customer UL must be measured taking away the cushion thickness



UL = ULpat - SK

CPS - Set :
Starec wheel hubs
Starec rear wheel rims
Castor forks, Castor housing caps Front seat module caps Back angle joints Starec quick release axle caps

Possible footwidth Tapered Frame

(Seat Width less 100 mm)

Seat width 340 mm : 240 mm
Seat width 360 mm : 260 mm
Seat width 380 mm : 280 mm
Seat width 400 mm : 300 mm
Seat width 420 mm : 320 mm
Seat width 440 mm : 340 mm
Seat width 460 mm : 360 mm
Seat width 480 mm : 380 mm

Possible footwidth Standard Frame

(Seat Width less 150 mm)

Seat width 340 mm : 190 mm
Seat width 360 mm : 210 mm
Seat width 380 mm : 230 mm
Seat width 400 mm : 250 mm
Seat width 420 mm : 270 mm
Seat width 440 mm : 290 mm
Seat width 460 mm : 310 mm
Seat width 480 mm : 330 mm

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

	Non Conforming Items Guide
DDA0248	Light rear wheel extn
DDA0251	Rear wheel extension
DDA0263	1st position from the front
DDA0264	2nd position from the front
DDA0265	3rd position from the front
DDA0266	4th position from the front
DDA0267	5th position from the front
DDA0278	Carbon axle
DDA0310	Mirror natural
DDA0414	Seat depth 37,5 cm
DDA0417	Seat depth 40 cm
DDA0420	Seat depth 42,5 cm
DDA0426	Seat depth 47,5 cm
DDA0429	Seat depth 50 cm
DDA0432	Seat depth 52,5 cm
DDA0611	Tension adjustable seat
DDA0630	User weight 40 - 65 kg (6-10 Stone)
DDA0631	User weight 65 - 85 kg (10-13 Stone)
DDA0632	User weight 85 - 100 kg (13-15.7 Stone)
DDA0702	Push handles fixed long
DDA0703	Height adjustable rear set push handles
DDA0704	Foldable push handles
DDA0733	Height adjustable integrated push handles
DDA0751	Push handles fixed short
DDA0772	Without backrest upholstery
DDA0847	SHv 45 cm
DDA0848	SHv 46 cm
DDA0849	SHv 47 cm
DDA0850	SHv 48 cm
DDA0851	SHv 49 cm
DDA0903	26 " Wheel
DDA0906	24" Spinergy LX wheels
DDA0908	24" High Performance wheel
DDA0910	Crossed spoked
DDA0911	Radial spoked
DDA0913	24" Mountain Bike wheel
DDA0915	24", 26" küschall Starec
DDA0916	E Motion adapter plate
DDA0918	25" High Performance wheel
DDA0925	25" Wheel
DDA1001	Light wheel 7 bar
DDA1002	Profile tyre 7 bar
DDA1004	Solid tyre, profil, grey
DDA1006	Solid tyre (KIK) black
DDA1007	Solid tyre Light, grey
DDA1020	Anti-flat tyre tube protection
DDA1102	Supergripp handrim,24",26" dist. 3 cm
DDA1104	Steel polished handrim, 24",26" dist. 3 cm (Only for Kuschall wheel)
DDA1106	Titanium handrim, 24 "dist. 3 cm
DDA1120	Surge LT Handrim
DDA1200	Transparant Spokeguards
DDA1202	Küschall Spokeguards
DDA1300	Standard brake, lever bent
DDA1302	Performance brake
DDA1303	Active brake
DDA1310	Extension lever for standard brake
DDA1408	Carbon mud guards
DDA1411	Tubular armrest, height adjustable, removable, swing-away, comfort padded
DDA1416	Siderest, height adjustable, short
DDA1421	Siderest height adjustable, long
DDA1515	Footrest flip to side
DDA1570	Carbon footplate angle adjustable
DDA1700	Transit wheels 3"
DDA1705	Active Anti-tipper
DDA1712	Kuschall watch right
DDA1713	Kuschall watch left
DDA1770	Transportation kit includes seat belt & tie down labels (available on back heights of 405mm and above)

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

K Series Frame Compatibility Table

The dimensions within this table give instances where the footplate will be standard mounted.
Any measurements outside of this table may result in the chair being delivered with an upmounted footplate.

	Frame Type	24" Rear Wheels			25" Rear Wheels			26" Rear Wheels		
		Front seat to floor (mm)	Knee to heel (mm) Std footplate	Knee to heel (mm) Flip-Up footplate	Front seat to floor (mm)	Knee to heel (mm) Std footplate	Knee to heel (mm) Flip-Up footplate	Front seat to floor (mm)	Knee to heel (mm) Std footplate	Knee to heel (mm) Flip-Up footplate
Aluminium	75° Short	**450**	330-420	290-420	**460**	330-430	290-430	**470**	330-440	290-440
		460	340-430	300-430	**470**	340-440	300-440	**480**	340-450	300-450
		470	350-440	310-440	**480**	350-450	310-450	**490**	350-460	310-460
	75° Standard	**480**	370-450	330-450	**490**	370-460	330-460	**500**	370-470	330-470
		490	380-460	340-460	**500**	380-470	340-470	**510**	380-480	340-480
		500	390-470	350-470	**510**	390-480	350-480	**520**	390-490	350-490
	75° +5	**500**	390-470	350-470	**510**	390-480	350-480	**520**	390-490	350-490
		510	400-480	360-480	**520**	400-490	360-490	**530**	400-500	360-500
		520	410-490	370-490	**530**	410-500	370-500	**540**	410-510	370-510
	90° Short	**450**	330-410	290-410	**460**	330-420	290-420	**470**	330-430	290-430
		460	340-420	300-420	**470**	340-430	300-430	**480**	340-440	300-440
		470	350-430	310-430	**480**	350-440	310-440	**490**	350-450	310-450
	90° Standard	**480**	370-440	330-440	**490**	370-450	330-450	**500**	370-460	330-460
		490	380-450	340-450	**500**	380-460	340-460	**510**	380-470	340-470
		500	390-460	350-460	**510**	390-470	350-470	**520**	390-480	350-480
	90° +5	**500**	400-460	360-460	**510**	400-470	360-470	**520**	400-480	360-480
		510	410-470	370-470	**520**	410-480	370-480	**530**	410-490	370-490
		520	420-480	380-480	**530**	420-490	380-490	**540**	420-500	380-500
	75° Tapered Frame	**480**	370-450	N/A	**490**	370-460	N/A	**500**	370-470	N/A
		490	380-460	N/A	**500**	380-470	N/A	**510**	380-480	N/A
		500	390-470	N/A	**510**	390-480	N/A	**520**	390-490	N/A
	90° Tapered Frame	**480**	370-440	N/A	**490**	370-450	N/A	**500**	370-460	N/A
		490	380-450	N/A	**500**	380-460	N/A	**510**	380-470	N/A
		500	390-460	N/A	**510**	390-470	N/A	**520**	390-480	N/A
Titanium	75° Titanium	**480**	370-450	N/A	**490**	370-460	N/A	**500**	370-470	N/A
		490	380-460	N/A	**500**	380-470	N/A	**510**	380-480	N/A
		500	390-470	N/A	**510**	390-480	N/A	**520**	390-490	N/A
	90° Titanium	**480**	370-440	N/A	**490**	370-450	N/A	**500**	370-460	N/A
		490	380-450	N/A	**500**	380-460	N/A	**510**	380-470	N/A
		500	390-460	N/A	**510**	390-470	N/A	**520**	390-480	N/A
Carbon	Carbon	**490**	380-460	340-460	**500**	380-470	340-470	**510**	380-480	340-480
		500	390-470	350-470	**510**	390-480	350-480	**520**	390-490	350-490

Special Instructions: Please supply the following information

Name: **Email:** **Phone:**

Description of special request (please include relevant option code):

Order No :

Customer Ref :

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.